


(Liquefied Petroleum Gas)	
LPG	(            )
15	056815710
/	056815710 FAX056811042

1


(Liquefied Petroleum Gas)
Petroleum gas, liquefied · LPG
(CAS No.) 68476-85-7
(            ) 100%

--


(1) (2) (3) (4) (5)
1  2 3 4 5 6 800 7
) (

1 (2 3

(1) (2) (3) (4)
1 (2) (3) (4) (5) (6)

(1) LPG
(2) ( )
(3)
(4)
(5)
(6)
(7)
(8)
(9)
(10)
(11)
(12)
(13)
(14) ( )
(15)
(16)
(17)
(18)
(19)
1 (2) (3)  4 5 6 7 8

9  
 (10  
 (11  
 12  
 13

TWA	STEL	CEILING	BEIs
1000ppm 1800 /m <sup>3</sup>	1000ppm 1800 /m <sup>3</sup>		

	-
pH	/ -40 ~-0.5
	: -100
	:
405~ 549°C ( 761~ 1120°F )	1.8 %~ 9.0 (v/v)
17~ 127psi g ( 60°F )	1.50~2.01 =1
0.50~0.58 =1	
log Kow 2.36	-

( )
NICKEL CARBONYL OXYGEN

(1)	
(2)	
(1) 1,000ppm	10,000ppm
(2) 19,000ppm	

	(3)					
	(4)		18		12 16	
			10 14			6
	10				6	
	(1)					
	(2)					
LD50(	)					
LC50(	)		658g/m <sup>3</sup> /4hr			

	LC50	EC50	BCF
1.			20      24
2.			
3.			
		-	
		-	
		-	
		-	

--

1075
2.1

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.

	<b>1.CHEMINFO</b>	<b>CCINFO</b>	<b>2005-3</b>
	<b>2.HSDB</b>	<b>TOMES PLUS</b>	<b>Vol.65 2005</b>
	<b>3.RTECS</b>	<b>TOMES PLUS</b>	<b>Vol.65 2005</b>
	<b>4.OHS MSDS ON DISC</b>	<b>MDL</b>	<b>2005</b>
	<b>5.ChemWatch</b>	<b>2005-1</b>	
	/		
	15 (05) 6815621		
	( )		
	<b>2019-11-12(Y-M-D)</b>		
	/”		

<b>1</b>	<b>2013 12 23</b>	
<b>2</b>	<b>2014 09 15</b>	
<b>3</b>	<b>2016 11. 22</b>	
<b>4</b>	<b>2019. 07. 10</b>	
<b>5</b>	<b>2019. 11. 12</b>	